Town Hall:
Safe Peralta Return to Campus

Information for a Safe Spring 2022 Semester

December 20, 2021

Dr. Jannett N. Jackson and members of the PCCD Leadership Team

Copyright © 2021 Peralta Community College District. All Rights Reserved.

Agenda

- **Welcome and Spring 2022 Return to Campus Overview** – Dr. Jannett N. Jackson, Interim Chancellor
- **Vaccination Policy** – Dr. Ron McKinley, Interim Vice Chancellor, Human Resources & Employee Relations
- **Visiting Campus Procedures** – Dr. Siri Brown, Vice Chancellor of Academic Affairs & Student Success & Mark Johnson, Executive Director of Marketing, Communication & Public Relations
- **Campus Security Update** – Tim Thomas, Director of Public Safety
- **Campus Facilities Update** – Atheria Smith, Interim Vice Chancellor of General Services
- **Safe Peralta website resources** - Mark Johnson
- **Questions & Answers**

Copyright © 2021 Peralta Community College District. All Rights Reserved.

Welcome & Spring 2022 Return to Campus Overview

Dr. Jannett N. Jackson, Interim Chancellor

Copyright © 2021 Peralta Community College District. All Rights Reserved.

	SUN	MON	TUES	WED	THURS	FRI	SAT
JULY							
						30	31
AUGUST							
	1	2	3	4	5	6	7
	8	9	10	11	12	13	14
	15	16	17	18	19	20	21
	22	23	24	25	26	27	29
	29	30	31				
SEPTEMBER				1	2	2	4
	5	6	7	8	9	10	11
	12	13	14	15	16	17	18
	19	20	21	22	23	24	25
	30						
OCTOBER		1	2	3	4	5	6

BoT Vaccination Policy Enacted

Fall Semester Began

24 days to remediate 4 campuses – prioritized buildings & rooms that would be occupied on August 23rd

Copyright © 2021 Peralta Community College District. All Rights Reserved.

COVID-19 Vaccination Requirement Policy (Employees)

As a condition of employment all existing and new Peralta Community College District (PCCD) faculty, classified employees, administrators, hourly employees (short-term temporary employees), contract employees, independent contractors, and student employees (henceforth referred to as “covered individuals”) must provide proof of “full” COVID-19 vaccination (as defined by the U.S. Center for Disease Control) or submit a request for exception on medical, disability, religious grounds, or a deferral based on pregnancy. In addition, all non-COVID-19 vaccinated covered individuals will be required to properly wear face masks that always cover both mouths and noses while on PCCD controlled property and must be tested weekly for COVID- 19.

Source: Chancellor's Announcement (August 5, 2021)

https://web.peralta.edu/files/2021/08/PCCD-Campus-Status-Update-Announcement-2021-08-05.pdf

Copyright © 2021 Peralta Community College District. All Rights Reserved.

COVID-19 Vaccination Requirement Policy (Students)

As a condition of, and, for permission to access all properties controlled by the Peralta Community College District (PCCD) all students must provide proof of “full” COVID-19 vaccination (as defined by the U.S. Center for Disease Control) or submit a request for exception on medical, disability, religious grounds, or a deferral based on pregnancy. In addition, all non-COVID-19 vaccinated students will be required to properly wear Face Masks that always cover mouths and noses while on PCCD controlled property and must be tested weekly for COVID-19.

Source: Chancellor's Announcement (August 5, 2021)

https://web.peralta.edu/files/2021/08/PCCD-Campus-Status-Update-Announcement-2021-08-05.pdf

Copyright © 2021 Peralta Community College District. All Rights Reserved.

Chancellor's Announcement

Students accessing in-person courses (including hybrid) and face-to-face services (for example, the library, counseling, tutoring, etc.) are required to upload proof of full vaccination, unless they have a pre-approved medical or religious exemption on file with the District. Proof of vaccination or exemption must be uploaded at least five (5) working days in advance of coming onto campus. Students taking 100% online classes are not required to upload vaccination proof unless they come to campus for any reason.

Source: Chancellor's Announcement, December 15, 2021

https://info.peralta.edu/chancellors-announcement-spring-2022-return-to-campus

Copyright © 2021 Peralta Community College District. All Rights Reserved.

PCCD Vaccination Policy

Dr. Ronald McKinley, Interim Vice Chancellor of Human Resources and Employee Relations

Copyright © 2021 Peralta Community College District. All Rights Reserved.

OUR GOAL IS TO KEEP EVERYONE AS SAFE AS HUMANLY POSSIBLE

- NEW TERRITORY FOR EVERYONE
- We acknowledge the situation is fluid and we continue to reassess, adapt and move forward
- POLICY effective July 30, 2021
- All employees and contractors required, ***as a condition of employment***, to be vaccinated for COVID-19 or have an approved exemption based on medical, ADA or sincerely held religious belief.
- Notices of non-compliance for employees will be sent out this week.
- POLICY AMMENDMENT effective August 5, 2021
- All students required to be vaccinated or have an approved exemption. **Spring 2022 FOCUS is on students attending class in-person**
- Every person must be properly masked, mask covers both nose and mouth, at all times while on Peralta controlled property.

Copyright © 2021 Peralta Community College District. All Rights Reserved.

KEEPING PEOPLE SAFE AND COMMUNICATING THE FACTS

- August 22, 2021 – Limited began on Campus, daily screening with Company Nurse for employees/contractors and Campus Shield for Students.
- August 27, 2021 – Announcement that employees and students must be fully vaccinated or have approved exemption by October 7, 2021 (student requirement deferred until October 13, 2021).
- Several presentations made to the Board of Trustees.
- Many notices sent out to the PCCD community related to the vaccination policy.
- The policy, announcements, FAQ's, protocol(procedure), COVID-19 Prevention Plan (Program), screening and proof of vaccination requirements, etc. posted on safe.peralta.edu website.
- Continued evolution of PCCD's response to COVID-19, such as vaccination clinics, free M-F COVID-19 testing for employees and students regardless of vaccination status, validation of COVID-19 vaccination documents using CA COVID-19 website.
- 2-week return to campus/work notices for some classified professionals sent out on Friday, December 17, 2021 for the Spring 2022 semester. Staff that were notified must report to work no later than the week of January 10, 2022, with an early transition period beginning January 3, 2022

Copyright © 2021 Peralta Community College District. All Rights Reserved.

KEEPING PEOPLE SAFE AND HOLDING OURSELVES ACCOUNTABLE

- *OUR GOAL IS TO KEEP EVERYONE AS SAFE AS HUMANLY POSSIBLE* - we do not want to discipline anyone; however, there are consequences for failure to comply with vaccination and testing requirements. Disciplinary action, if indicated will be applied per the requirements of the various CBA's. ***Non-compliance notices will be sent to employees THIS WEEK***.
- **There are penalties for falsification of vaccination status or use of forged documents:**
  - STUDENTS: Students may be disciplined for violations of BP 5500 and AP 5500 Article 4 Section 8: Dishonesty such as cheating, plagiarism, forgery, alteration or misuse of college documents, records, or identification documents, or furnishing false information to the college.
  - EMPLOYEES: Employees may be disciplined for the violations listed in the Education Code Section 87732, which includes DISHONESTY.

USING FALSE OR FORGED CDC COVID-19 VACCINATION CARDS IS A FEDERAL FELONY PUNISHABLE UPON CONVICTION OF UP TP 5 YEARS IN PRISON AND A $10,000 FINE

Copyright © 2021 Peralta Community College District. All Rights Reserved.

KEEPING PEOPLE SAFE – SOME ADDITIONAL FACTS AND CONSIDERATIONS

- The COVID-19 landscape is evolving rapidly as indicated by the emergence of new COVID-19 variants, such as the Delta and Omicron variants; therefore, it is imperative that we remain nimble and respond accordingly. This means that what we do as an educational institution will evolve rapidly. **EXAMPLE**: the new CalOSHA regulations effective December 26, 2021, requiring indoor masking for many types of organizations, including public educational institutions.
- ***PLEASE BE ON THE LOOKOUT FOR AND READ ALL COVID-19 ANNOUNCEMENTS FREQUENTLY***
- As of December 17, 2021
  - Total number of fulltime employees =883
  - Total number of employee vaccination documents received – 815 (94.7% of FTEs)
  - Total number of exemptions requested = 131
  - Total number of approved exemptions = 68 (51.9% approval)
  - Total number of denied exemptions = 63 (48.1% denials)
  - Total number of pending exemptions = 0
- Our colleagues have substantially complied with the policy

Copyright © 2021 Peralta Community College District. All Rights Reserved.

Procedures for Visiting Campus

Dr. Siri Brown, Vice Chancellor of Academic Affairs & Student Success

Mark Johnson, Executive Director, Marketing, Communication & Public Relations

Copyright © 2021 Peralta Community College District. All Rights Reserved.

Before Coming to Campus (Students)

Coming to campus requires that students complete two tasks ahead of time:

1. Campus Solutions – at least five (5) days before coming to campus, upload your proof of vaccination credentials

2. Campus Shield – every time you come to campus, you must complete the COVID Health Assessment screening quiz

Copyright © 2021 Peralta Community College District. All Rights Reserved.

Campus Solutions https://sa.peralta.edu

CAMPUS SOLUTIONS



At least five (5) days before coming to campus, upload your proof of vaccination (or your exemption request forms)

- Click the "Vaccination Tracker" button within Campus Solutions
- Upload your vaccination information (date and type of the vaccine) and proof of vaccination (e.g. a photo of your vaccination card)
- 1 minute "how to" video guide is at https://youtu.be/mox6x7c_5nE
- Detailed instructions can be found at https://safe.peralta.edu/s/Vaccinated-Students-How-to-record-Vaccination-Details.pdf
- Exemption forms: https://safe.peralta.edu/covid-19-vaccine

Copyright © 2021 Peralta Community College District. All Rights Reserved.

Campus Shield app

- Download from Apple App Store or Google Play
- Set up your account using your Peralta Colleges email address [@cc.peralta.edu]
- Each time you come to campus, open and take the COVID Health Assessment





Be prepared to show the "Green Screen" badge at check points on campus

Copyright © 2021 Peralta Community College District. All Rights Reserved.

Before Coming to Campus (Employees)

Coming to campus for employees also requires completion of two tasks ahead of time:

1. Upload proof of vaccination credentials via Company Nurse (due October 7, 2021)

2. Company Nurse Screening – every time you come to campus, you must complete the COVID screening quiz

Copyright © 2021 Peralta Community College District. All Rights Reserved.

Company Nurse https://peralta.lintelio.com/











Copyright © 2021 Peralta Community College District. All Rights Reserved.

Campus Safety Check-in via BrightStar

- BrightStar is an East Bay business specializing in home health care services
- Thank you to the Board of Trustees for approving the agreement with BrightStar at their last Board meeting
- BrightStar healt care staff will be on site at all four college campuses to help check in students, employees and visitors
- Marina Security will steer people on campus to the check-in sites

Copyright © 2021 Peralta Community College District. All Rights Reserved.

Campus Security Update

Timothy Thomas, Director of Public Safety

Copyright © 2021 Peralta Community College District. All Rights Reserved.

Campus Public Safety:
Improving Overall Service Levels

- Security Guards upon initial assignment for the day are assigned a specific location on their campus. The locations are given to the security team that would best provide patrol coverage over the entire campus.
- Meet and Greet – The security guards are to meet each person within their posted area of responsibility with an appropriate greeting of the day and to ascertain if they can be of assistance to the person.
- Improvement on uniform appearance
- Onboarding security personnel with the desired skillset, demeanor, attitude, and willingness to learn and apply the community policing concept
- Marina working in concert with the Director of Public Safety provide a focused approach to improving the level of service with broad approach to training geared towards campus community. With a direct application for:
  1. **First aid-On campus**
  2. **Report writing beyond industry standard**
  3. **Key Control Standard**
  4. **Electronic access control**
  5. **Safety Numbers on Campus and Signs**

Copyright © 2021 Peralta Community College District. All Rights Reserved.

Campus Public Safety:
December 12, 2021 Supervisor Training

1. Customer Service
2. Visibility and Patrolling
3. Response to Emergency
4. Role of the Security Guard at PCCD
5. De-escalation Training
6. Daily Activity Report and Incident Reporting (open doors, open windows, reporting, etc.)

Copyright © 2021 Peralta Community College District. All Rights Reserved.

Campus Facilities Update

Atheria Smith, Interim Vice Chancellor of General Services

Copyright © 2021 Peralta Community College District. All Rights Reserved.

Preparing For Return To Campus - Facilities Assessments and Improvements

What has been done for a safe return to campus:

- District-wide facilities cleaning
- Healthy Building Science Testing
- Signage
- Water Flushing
- HVAC Assessment
  - Filters and In-house Adjustments
- HVAC Mitigation Needs

What's left to be done:

- HVAC Upgrades
- Security Improvements
- Keyless Entry

Copyright © 2021 Peralta Community College District. All Rights Reserved.

Air Quality Work by NES -- BCC

Before: November 21, 2021

Ventilation Assessment Summary



#	HVAC		Site		Air Changes				PAC
	Room	Type	Campus	Building	Target	Actual	Result	Min. CADR	CADR
1	152	Office	Berkeley City College	BCC	3	1.2	Does not meet target	115	120
2	N/A	Reception Areas	Berkeley City College	BCC	3	1.6	Does not meet target	225	230
3	165	Office	Berkeley City College	BCC	3	1.1	Does not meet target	210	210
4	165A	Office	Berkeley City College	BCC	3	2.1	Does not meet target	16	40
5	124A	Office	Berkeley City College	BCC	3	1.8	Does not meet target	12	40
6	116	Occupiable Storage (D	Berkeley City College	BCC	3	0.0	Does not meet target	203	210
7	126	Computer Lab	Berkeley City College	BCC	3	1.5	Does not meet target	314	320
8	21	Auditorium Seating	Berkeley City College	BCC	3	2.7	Does not meet target	168	170
9	31	Classroom	Berkeley City College	BCC	5	2.0	Does not meet target	305	310
10	32	Classroom	Berkeley City College	BCC	5	1.6	Does not meet target	352	360
11	33	Classroom	Berkeley City College	BCC	5	2.6	Does not meet target	241	250
12	34	Classroom	Berkeley City College	BCC	4	2.3	Does not meet target	182	200
13	53	Classroom	Berkeley City College	BCC	6	0.0	Does not meet target	455	2 x 230
14	54	Classroom	Berkeley City College	BCC	3	0.0	Does not meet target	332	350
15	55	Classroom	Berkeley City College	BCC	5	2.3	Does not meet target	363	400
16	212	Classroom	Berkeley City College	BCC	4	2.3	Does not meet target	315	320
17	213	Computer Lab	Berkeley City College	BCC	3	1.7	Does not meet target	372	400
18	214	Classroom	Berkeley City College	BCC	5	2.8	Does not meet target	295	300

After: December 17, 2021

Ventilation Assessment Summary



#	HVAC		Site		Air Changes			Recommendations		Mitigation
	Room	Type	Campus	Building	Target	Actual	Result	Min. CADR	Min. Supply	Applied CADR
1	152	Office	Berkeley City College	BCC	3	4.0	Meets target with mitigation	105	213	167
2	N/A	Reception Areas	Berkeley City College	BCC	3	3.3	Meets target with mitigation	225	533	279
3	165	Office	Berkeley City College	BCC	3	3.6	Meets target with mitigation	210	365	279
4	165A	Office	Berkeley City College	BCC	3	11.4	Meets target with mitigation	16	59	167
5	124A	Office	Berkeley City College	BCC	3	18.2	Meets target with mitigation	12	34	167
6	126	Computer Lab	Berkeley City College	BCC	3	5.6	Meets target	0	680	0
7	21	Auditorium Seating	Berkeley City College	BCC	3	3.0	Meets target with mitigation	161	2152	167
8	31	Classroom	Berkeley City College	BCC	5	5.3	Meets target with mitigation	305	564	334
9	32	Classroom	Berkeley City College	BCC	5	6.3	Meets target with mitigation	36	564	167
10	33	Classroom	Berkeley City College	BCC	5	5.1	Meets target	0	564	0
11	34	Classroom	Berkeley City College	BCC	4	4.3	Meets target	0	459	0
12	53	Classroom	Berkeley City College	BCC	5	5.9	Meets target with mitigation	380	418	446
13	54	Classroom	Berkeley City College	BCC	3	3.6	Meets target	0	366	0
14	55	Classroom	Berkeley City College	BCC	4	4.7	Meets target	0	599	0
15	212	Classroom	Berkeley City College	BCC	4	10.3	Meets target	0	831	0
16	213	Computer Lab	Berkeley City College	BCC	3	3.4	Meets target	0	973	0
17	214	Classroom	Berkeley City College	BCC	5	5.5	Meets target with mitigation	92	779	167
18	216	Classroom	Berkeley City College	BCC	5	6.3	Meets target with mitigation	39	535	167
19	218	Media Center	Berkeley City College	BCC	3	6.4	Meets target	0	689	0
20	223	Classroom	Berkeley City College	BCC	3	3.2	Meets target	0	519	0
21	226	Classroom	Berkeley City College	BCC	3	3.2	Meets target	0	518	0
22	227	Computer Lab	Berkeley City College	BCC	3	3.3	Meets target	0	920	0
23	203	Reception Areas	Berkeley City College	BCC	3	3.9	Meets target	0	412	0
24	266	Conference	Berkeley City College	BCC	3	8.5	Meets target with mitigation	59	65	167
25	Class 3	Classroom	Berkeley City College	BCC	4	4.2	Meets target with mitigation	118	1144	167
26	Class 1	Classroom	Berkeley City College	BCC	5	5.3	Meets target with mitigation	128	809	167
27	345	Office	Berkeley City College	BCC	3	3.3	Meets target	0	45	0

Copyright © 2021 Peralta Community College District. All Rights Reserved.

Air Quality Work by NES -- COA

Before: November 21, 2021

Ventilation Assessment Summary



#	HVAC		Site		Air Changes				Halo
	Room	Type	Campus	Building	Target	Actual	Result	Min. CADR	120 cfm
1	A136	Office	College of Alameda	A	5	60.6	Meets target	cfm	
2	A135	Office	College of Alameda	A	3	34.8	Meets target	cfm	
3	A134	Office	College of Alameda	A	3	36.3	Meets target	cfm	
4	A133	Office	College of Alameda	A	3	41.5	Meets target	cfm	
5	A132	Office	College of Alameda	A	3	7.1	Meets target	cfm	
6	A131	Classroom	College of Alameda	A	3	12.0	Meets target	cfm	
7	A130	Office	College of Alameda	A	3	14.9	Meets target	cfm	
8	A129	Office	College of Alameda	A	3	14.9	Meets target	cfm	
9	A113	Office	College of Alameda	A	3	23.0	Meets target	cfm	
10	A113	Office	College of Alameda	A	3	6.6	Meets target	cfm	
11	A109	Office	College of Alameda	A	3	10.1	Meets target	cfm	
12	A128	Office	College of Alameda	A	3	11.9	Meets target	cfm	
13	A105	Office	College of Alameda	A	3	0.0	Does not meet target	cfm	2
14	A103	Office	College of Alameda	A	3	10.9	Meets target	cfm	
15	A102	Office	College of Alameda	A	3	20.5	Meets target	cfm	
16	ng Lobby 1	Lobby	College of Alameda	A	3	9.5	Meets target	cfm	
17	A108	Office	College of Alameda	A	3	10.2	Meets target	cfm	
18	A107	Office	College of Alameda	A	3	11.5	Meets target	cfm	

After: December 17, 2021

Ventilation Assessment Summary



#	HVAC		Site		Air Changes			Reccomendation		Mitigation
	Room	Type	Campus	Building	Target	Actual	Result	Min. CADR	Min. Supply	Applied CADR
1	A136	Office	College of Alameda	A	5	60.6	Meets target	0	32	0
2	A135	Office	College of Alameda	A	3	34.8	Meets target	0	39	0
3	A134	Office	College of Alameda	A	3	36.3	Meets target	0	39	0
4	A133	Office	College of Alameda	A	3	41.5	Meets target	0	39	0
5	A132	Office	College of Alameda	A	3	7.1	Meets target	0	37	0
6	A131	Classroom	College of Alameda	A	3	12.0	Meets target	0	37	0
7	A130	Office	College of Alameda	A	3	14.9	Meets target	0	37	0
8	A129	Office	College of Alameda	A	3	14.9	Meets target	0	37	0
9	A113	Office	College of Alameda	A	3	23.0	Meets target with mitigation	103	140	950
10	A113	Office	College of Alameda	A	3	6.6	Meets target	0	79	0
11	A109	Office	College of Alameda	A	3	10.1	Meets target	0	37	0
12	A128	Office	College of Alameda	A	3	11.9	Meets target	0	37	0
13	A105	Office	College of Alameda	A	3	3.5	Meets target with mitigation	142	156	167
14	A103	Office	College of Alameda	A	3	10.9	Meets target	0	132	0
15	A102	Office	College of Alameda	A	3	20.5	Meets target	0	64	0
16	ng Lobby 1	Lobby	College of Alameda	A	3	9.5	Meets target	0	2423	2970
17	A108	Office	College of Alameda	A	3	10.2	Meets target	0	37	0
18	A107	Office	College of Alameda	A	3	11.5	Meets target	0	36	0
19	A115	Office	College of Alameda	A	3	11.5	Meets target with mitigation	14	59	167
20	A104A	Office	College of Alameda	A	3	7.9	Meets target	0	45	0
21	A151	Office	College of Alameda	A	3	9.7	Meets target	0	145	0
22	A149	Conference	College of Alameda	A	3	8.2	Meets target	0	139	0
23	A147	Office	College of Alameda	A	3	13.1	Meets target	0	77	0
24	A146	Office	College of Alameda	A	3	13.4	Meets target	0	58	0
25	A145	Office	College of Alameda	A	3	11.9	Meets target	0	76	0
26	A144	Conference	College of Alameda	A	3	10.1	Meets target	0	88	0

Copyright © 2021 Peralta Community College District. All Rights Reserved.

Air Quality Work by NES – Merritt College

Before: November 21, 2021

Ventilation Assessment Summary



#	HVAC		Site		Air Changes				Recommendations	
	Room	Type	Campus	Building	Target	Actual	Result	Min. CADR	CADR	Min. Supply
1	A100	Classroom	Merritt College	A	3	1.3	Does not meet target	577	2 X 300	1147
2	A106	Classroom (5-8)	Merritt College	A	3	0.2	Does not meet target	2780	10 X 300	3060
3	A120	Office	Merritt College	A	3	0.0	Does not meet target	747	3 X 300	822
4	A122	Wood/Metal Shop	Merritt College	A	3	0.0	Does not meet target	2987	10 X 300	3287
5	A133	Classroom	Merritt College	A	3	0.0	Does not meet target	3430	12 X 300	3775
6	H Trailer	Office	Merritt College	H	3	16.8	Meets target	0		65
7	L100	Library	Merritt College	L	3	2.5	Does not meet target	148	2 X 100	915
8	L200	Library	Merritt College	L	3	2.0	Does not meet target	2869	10 X 300	9906
9	P106	Office	Merritt College	P	3	0.4	Does not meet target	66	1 X 100	85
10	P302	Office	Merritt College	P	3	7.1	Meets target	0		61
11	P304	Office	Merritt College	P	3	18.8	Meets target	0		63
12	P305	Office	Merritt College	P	3	7.2	Meets target	0		329
13	P306	Computer Lab	Merritt College	P	5	0.0	Does not meet target	592	2 X 300	651
14	Q105	Office	Merritt College	Q	3	0.0	Does not meet target	92	1 X 100	101
15	Q106	Office	Merritt College	Q	3	7.5	Meets target	0		495
16	Q209	Office	Merritt College	Q	3	0.0	Does not meet target	158	2 X 100	174
17	Q214	Office	Merritt College	Q	3	9.4	Meets target	0		90
18	Q224	Office	Merritt College	Q	3	2.5	Does not meet target	7	1 X 100	43
19	Q225	Office	Merritt College	Q	3	0.0	Does not meet target	63	1 X 100	70
20	Q226	Office	Merritt College	Q	3	3.0	Does not meet target	0		55
21	Q227	Office	Merritt College	Q	3	0.0	Does not meet target	44	1 X 100	48

After: December 17, 2021

Ventilation Assessment Summary



#	Site				Air Changes			Recommendations		Mitigation
	Room	Type	Campus	Building	Target	Actual	Result	Min. CADR	Min. Supply	Applied CADR
1	A100	Classroom	Merritt College	A	3	3.3	Meets target with mitigation	577	1147	668
2	A106	Classroom (5-8)	Merritt College	A	3	3.1	Meets target with mitigation	2780	3060	2850
3	A120	Office	Merritt College	A	3	3.4	Meets target with mitigation	747	822	837
4	A122	Wood/Metal Shop	Merritt College	A	3	3.8	Meets target with mitigation	2987	3287	3800
5	A133	Classroom	Merritt College	A	3	3.3	Meets target with mitigation	3430	3775	3800
6	A218	Classroom	Merritt College	A	3	3.8	Meets target with mitigation	451	497	564
7	L100	Library	Merritt College	L	3	3.1	Meets target with mitigation	148	915	167
8	L200	Library	Merritt College	L	3	3.3	Meets target	0	6764	0
9	Q105	Office	Merritt College	Q	3	4.4	Meets target with mitigation	92	101	134
10	Q209	Office	Merritt College	Q	3	3.6	Meets target	0	174	0
11	Q224	Office	Merritt College	Q	3	3.2	Meets target	0	70	0
12	Q225	Office	Merritt College	Q	3	4.5	Meets target	0	48	0
13	Q226	Office	Merritt College	Q	3	4.0	Meets target	0	43	0
14	Q227	Office	Merritt College	Q	3	3.3	Meets target	0	55	0
15	Q230	Office	Merritt College	Q	3	4.3	Meets target	0	47	0
16	Q231	Office	Merritt College	Q	3	4.1	Meets target	0	77	0
17	Q232	Office	Merritt College	Q	3	4.3	Meets target	0	74	0
18	Q300	Office	Merritt College	Q	3	7.3	Meets target	0	1089	0
19	R105B	Office	Merritt College	R	3	3.0	Meets target	0	57	0
20	R105C	Office	Merritt College	R	3	3.5	Meets target	0	56	0
21	R109B	Office	Merritt College	R	3	3.4	Meets target	0	69	0
22	R109A	Office	Merritt College	R	3	3.6	Meets target with mitigation	304	792	446
23	R109N	Office	Merritt College	R	3	6.9	Meets target	0	67	0
24	R109P	Conference	Merritt College	R	3	6.6	Meets target	0	65	0

Copyright © 2021 Peralta Community College District. All Rights Reserved.

Air Quality Work by NES – Laney College

Before: November 21, 2021



Ventilation Assessment Summary

#	HVAC		Site		Air Changes			Recommendation	
	Room	Type	Campus	Building	Target	Actual	Result	Min. CADR	Min. Supply
1	A201	Reception Areas	Laney College	A Complex	3	1.1	Does not meet target	336	597
2	A203	Classroom	Laney College	A Complex	3	6.3	Meets target	0	825
3	A201A	Office	Laney College	A Complex	3	1.1	Does not meet target	298	510
4	A202	Office	Laney College	A Complex	3	5.1	Meets target	0	1278
5	A203A	Office	Laney College	A Complex	3	9.8	Meets target	0	72
6	A202B	Office	Laney College	A Complex	3	17.5	Meets target	0	70
7	A203B	Office	Laney College	A Complex	3	11.0	Meets target	0	68
8	A203C	Break room	Laney College	A Complex	3	3.2	Meets target	0	100
9	A204	Classroom	Laney College	A Complex	3	0.7	Does not meet target	514	734
10	A236	Science Lab	Laney College	A Complex	3	4.2	Meets target	0	848
11	A237A	Office	Laney College	A Complex	3	13.0	Meets target	0	70
12	A204A	Office	Laney College	A Complex	3	15.7	Meets target	0	30
13	A204B	Office	Laney College	A Complex	3	6.5	Meets target	0	51
14	A236A	Office	Laney College	A Complex	3	12.7	Meets target	0	69
15	A235	Science Lab	Laney College	A Complex	3	14.2	Meets target	0	711
16	A235B	Science Lab	Laney College	A Complex	3	5.1	Meets target	0	290
17	A239	Classroom	Laney College	A Complex	6	7.1	Meets target	0	642
18	A279	Occupiable Storage (I	Laney College	A Complex	3	12.0	Meets target	0	159
19	A270	Office	Laney College	A Complex	3	11.0	Meets target	0	71
20	A272	Science Lab	Laney College	A Complex	3	6.0	Meets target	0	271
21	A278	Occupiable Storage (I	Laney College	A Complex	3	13.4	Meets target	0	162
22	A271	Science Lab	Laney College	A Complex	4	4.1	Meets target	0	641
23	A273	Lecture Room	Laney College	A Complex	3	10.9	Meets target	0	248
24	A277	Science Lab	Laney College	A Complex	3	8.4	Meets target	0	688

After: December 17, 2021



Ventilation Assessment Summary

#	HVAC		Site		Air Changes			Recommendation		Mitigation
	Room	Type	Campus	Building	Target	Actual	Result	Min. CADR	Min. Supply	Applied CADR
1	A201	Reception Areas	Laney College	A Complex	3	4.0	Meets target with mitigation	336	597	460
2	A203	Classroom	Laney College	A Complex	3	6.3	Meets target	0	825	0
3	A201A	Office	Laney College	A Complex	3	4.0	Meets target with mitigation	298	510	460
4	A202	Office	Laney College	A Complex	3	5.1	Meets target	0	1278	0
5	A203A	Office	Laney College	A Complex	3	9.8	Meets target	0	72	0
6	A202B	Office	Laney College	A Complex	3	17.5	Meets target	0	70	0
7	A203B	Office	Laney College	A Complex	3	11.0	Meets target	0	68	0
8	A203C	Break room	Laney College	A Complex	3	3.2	Meets target	0	100	0
9	A204	Classroom	Laney College	A Complex	3	3.8	Meets target with mitigation	514	734	690
10	A236	Science Lab	Laney College	A Complex	3	4.2	Meets target	0	848	0
11	A237A	Office	Laney College	A Complex	3	13.0	Meets target	0	70	0
12	A204A	Office	Laney College	A Complex	3	15.7	Meets target	0	30	0
13	A204B	Office	Laney College	A Complex	3	6.5	Meets target	0	51	0
14	A236A	Office	Laney College	A Complex	3	12.7	Meets target	0	69	0
15	A235	Science Lab	Laney College	A Complex	3	14.2	Meets target	0	711	0
16	A235B	Science Lab	Laney College	A Complex	3	5.1	Meets target	0	290	0
17	A239	Classroom	Laney College	A Complex	6	7.1	Meets target	0	642	0
18	A279	Occupiable Storage (I	Laney College	A Complex	3	12.0	Meets target	0	159	0
19	A270	Office	Laney College	A Complex	3	11.0	Meets target	0	71	0
20	A272	Science Lab	Laney College	A Complex	3	6.0	Meets target	0	271	0
21	A278	Occupiable Storage (I	Laney College	A Complex	3	13.4	Meets target	0	162	0
22	A271	Science Lab	Laney College	A Complex	4	4.1	Meets target	0	641	0
23	A273	Lecture Room	Laney College	A Complex	3	10.9	Meets target	0	248	0
24	A277	Science Lab	Laney College	A Complex	3	8.4	Meets target	0	688	0
25	A274	Science Lab	Laney College	A Complex	4	11.2	Meets target	0	644	0
26	A277A	Science Lab	Laney College	A Complex	3	10.9	Meets target with mitigation	8	66	167
27	A275	Office	Laney College	A Complex	3	13.7	Meets target	0	73	0
28	A276	Office	Laney College	A Complex	3	13.4	Meets target	0	72	0
29	A266	Classroom	Laney College	A Complex	5	5.8	Meets target with mitigation	97	888	230

Copyright © 2021 Peralta Community College District. All Rights Reserved.

Keyless Entry

Replacing key locks with digital card readers

For External entry points district-wide

Copyright © 2021 Peralta Community College District. All Rights Reserved.

Safe Peralta Website Resources

Mark Johnson, Executive Director of Marketing, Communication & Public Relations

Copyright © 2021 Peralta Community College District. All Rights Reserved.

Safe Peralta Resources https://safe.peralta.edu/

- Current Status Summary
- Vaccination Policy
- Campus Access
- COVID Testing
- Vaccination Opportunities
- Sections for both Students and Employees with FAQs
- Latest Updates:
  - Chancellor's Announcements
  - Ventilation Reports
  - Positive case reports



Copyright © 2021 Peralta Community College District. All Rights Reserved.

Questions & Answers

Copyright © 2021 Peralta Community College District. All Rights Reserved.

Thank you

Copyright © 2021 Peralta Community College District. All Rights Reserved.